Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	template with (pars\$3 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:50
L2	11	1 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:47
L3	4	2 and sequential\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:47
L4	18	pars\$3 near rule near message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:04
L5	16	4 and (creat\$4 or generat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:53
L6	2	5 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:52
L7	0	5 and example	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 06:52
L8	849	pars\$3 near rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:04
L9	490	8 and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:24

L10	112	9 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:04
L11	1838	10 example	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:05
L12	0	10 and example	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:05
L13	32	10 and negative	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:05
L14	20	13 and positive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:18
L15	92	pars\$ near message near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:18
L16	92	pars\$3 near message near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:19
L17	46	16 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:19
L18	. 3	17 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2006/12/26 07:19
L19	490	9 and (message or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:24

L20	813	8 and (message or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:25
L21	186	20 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 07:25
L22	154	21 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:01
L23	0	22 and selct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 07:26
L24	147	22 and select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 08:52
L25	0	24 and unparsable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 08:53
L26	111	24 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 08:53
L27	62	26 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:36
L28	5	8 and (nonparsable or unparsable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:39
L29	. 0	(nonparsable or unparsable) near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:39
L30	93	10 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:41

			T		T	T
L31	93	30 and (creat\$5 or generat\$5 or define)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:56
L32	12323	sequential\$5 with (pars\$3 near\$2 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:58
L33	12	sequential\$5 with (pars\$3 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:00
L34	5	33 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 09:58
L35	1	sequen\$8 with (pars\$3 near message near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:01
L36	56	sequen\$8 with (pars\$3 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:14
L37	51	36 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:15
L38	13	37 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 10:02
L39	112	creat\$5 with (pars\$3 near message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:21
L40	28	39 and sequential\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/26 10:15
L41	22	40 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:22

L42	9	41 and rule	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/12/26 10:16
			DERWENT			
L43	. 2688	pars\$3 near message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:21
L44	656	43 and sequential\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:21
L45	36	44 and (display near error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:22
L46	25	45 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 10:22
L47	25	46 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:30
L48	17	44 and (creat\$5 near rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 10:30
L49	14	48 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 11:32
L50	2	"6052709".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:45
L51	2	"7096498".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:59
L52	0	unparsable near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 10:59

L53	0	non near parsable near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 11:00
L54	0	non near parsable near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:00
L55	6	parsable near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:29
L56	2687	pars\$8 near message	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:30
L57 .	2511	56 and (creat\$3 generat\$5 rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:31
L58	463	57 and template	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:31
L59	100	58 and candidate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 11:31
L60	87	59 and (@pd<"20030725" or @ad<"20030725" or @prad<"20030725" or @rlad<"20030725")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/12/26 11:32